Advanced Military- and Industrial-Grade HMI Devices

General Digital offers a variety of rack mount, panel mount, desktop, and specialized keyboards that are a perfect pairing with our ruggedized LCD monitors, smart displays, workstations, or your existing display solution. Our rugged, durable enclosures are specially designed to suit the rigors of their intended environments, ensuring you have the best keyboard for your application. Additionally, they're built to withstand high shock, vibration, electromagnetic and radio-frequency interference (EMI/RFI), as well as airborne and liquid contaminants. Keyboards certified to military standards are available upon request. General Digital's industry-leading design and commitment to configuration and revision control for our thousands of custom options and enhancements produce an indispensable human-machine interface that will serve for decades. SRK-100 Series keyboard configured to meet U.S. Navy requirements for military and avionic applications

#### STANDARD FEATURES

- » Top quality enclosures
  - > Desktop, rack mount, panel mount
  - › Military and industrial grade
  - > Polycarbonate, aluminum, stainless steel
  - › Full-size, compact
- » Ivory, black or beige keys
- » Integrated pointing devices with mouse buttons
  - > Trackball, touch pad, HulaPoint®
- » USB, PS/2, Serial, Sun® interfaces supported
- » Several models meet mil-spec shock and vibration standards


#### **OPTIONS**

- » Custom enclosures
- » Spill/splash/waterproof/dustproof enclosures
  - › Includes silicone rubber key switches
- » Custom interfaces supported
- » EMI/RFI shielding
- » Wrist rest
- » Backlit and NVIS goggle-compatible keys
  - › Green, blue, amber, custom colors
  - Adjustable brightness level
- » Integrated Smart Card (CAC) reader and other security
- » Integrated KVM (Keyboard/Video/Mouse) switches
- » Latching T-handle on rack mount models



#### **RACK MOUNT I** (Inquire about alternate configurations)

	PROPERTIES	90-750-065-A	90-750-041-A	90-750-077-A
	Class	MRK Series	MRK Series	MRK Series
KEYBOARD	Grade	Military	Military	Military
	Number of Keys	82	121	121
	Backlight Color	Red	Red	Red
Ä	Interface	USB	PS/2	USB
	Connector	D38999/20WC35PN	DE-9P	DE-9P
SE	Туре	Trackball	Trackball	Trackball
DEVI	Size (inches)	2.0"	1-3/8"	2.0"
POINTING DEVICE	Buttons	3	3	3
PO	Sealed	Yes	Yes	Yes
CAL	Enclosure Color	Black	Black	Black
MECHANICAL	Dimensions (H x W x D)	2.36" x 18.69" x 12.00"	N/A	2.35" x 17.73" x 14.50"
MEC	Rack Depth	25.00″	N/A	22.00″
CERTS	Meets or Built to be in Compliance	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI
SPECIAL	Notable Components and Features	Integrated Smart Card (CAC) Reader; Auxiliary USB Port; Extended Keyboard Drain	Rack Adaptor Kit; KB Brightness Control; Shock Sensing; Keycap Clips	KB Brightness Control; Integrated Wrist Rest



### RACK MOUNT II (Inquire about alternate configurations)

	PROPERTIES	90-750-080-B	90-750-096	90-750-103
	Class	MRK Series	MRK Series	MRK Series
	Grade	Military	Military	Military
æ	Number of Keys	121	121	121
KEYBOARD	Backlight Color	Red	Green	Red
Ä	Interface	USB	USB	USB
	Connector	DE-9P	DE-9P	DE-9P
<u> </u>	Туре	Trackball	Trackball	Trackball
POINTING DEVICE	Size (inches)	1-3/8"	1-3/8"	2.0"
NITA	Buttons	3	3	4
<u>S</u>	Sealed	Yes	Yes	Yes
CAL	Enclosure Color	Black	Black	Black
MECHANICAL	Dimensions (H x W x D)	1.33" x 17.86" x 12.60"	1.33" x 17.66" x 12.60"	2.35" x 16.92" x 14.50"
MEC	Rack Depth	18.00″	18.00″	22.00"
CERTS	Meets or Built to be in Compliance	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI	-	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI
SPECIAL	Notable Components and Features	KB Brightness Control; Shock Sensing; Keycap Clips; Integrated Wrist Rest	KB Brightness Control; Shock Sensing; Keycap Clips	Backlight Brightness Control; Integrated Wrist Rest; 6' Dual USB Cable



#### **RACK MOUNT III** (Inquire about alternate configurations)

	PROPERTIES	90-750-120	90-750-020	90-750-021-B
	Class	IRK Series	IRK Series	IRK Series
	Grade	Industrial	Industrial	Industrial
S	Number of Keys	114	121	121
KEYBOARD	Backlight Color	_	_	-
Ä	Interface	USB	PS/2	Sun Type 6 USB
	Connector	USB Type A	DE-9P	DE-9P
<u> </u>	Туре	HulaPoint®	Trackball	Trackball
POINTING DEVICE	Size (inches)	_	1-3/8"	1-3/8"
NEN	Buttons	3	3	3
<u>S</u>	Sealed	Yes	Yes	Yes
CAL	Enclosure Color	Black	Black	Black
MECHANICAL	Dimensions (H x W x D)	1.75" x 19.00" x 16.00"	N/A	N/A
MEC	Rack Depth	17.00"	N/A	N/A
CERTS	Meets or Built to be in Compliance	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI	_	_
SPECIAL	Notable Components and Features	NEMA 12 Sealed; T-Handle; 10′ USB Type Cable	Rack Adaptor Kit	Rack Adaptor Kit



#### **RACK MOUNT IV** (Inquire about alternate configurations)

	PROPERTIES	90-750-033	90-750-042-A	90-750-115
	Class	IRK Series	IRK Series	IRK Series
	Grade	Industrial	Industrial	Industrial
æ	Number of Keys	121 121	121	121
KEYBOARD	Backlight Color	-	Red	Red
Ä	Interface	Sun Type 5	PS/2	USB
	Connector	DE-9P	DE-9P	DE-9P
<u> </u>	Туре	Trackball	Trackball	Trackball
) DEV	Size (inches)	1-3/8″	1-3/8"	1-3/8"
POINTING DEVICE	Buttons	3	3	3
<u>o</u>	Sealed	Yes	Yes	Yes
CAL	Enclosure Color	Black	Black	Black
MECHANICAL	Dimensions (H x W x D)	N/A	N/A	N/A
MEC	Rack Depth	N/A	N/A	N/A
CERTS	Meets or Built to be in Compliance	_	-	-
SPECIAL	Notable Components and Features	Rack Adaptor Kit; Drip-proof from Front	Rack Adaptor Kit; Custom Scan Codes Programmed	_



### PANEL MOUNT (Inquire about alternate configurations)

	PROPERTIES	90-750-074-A	90-750-114	90-750-095	90-750-098
	Class	MPK Series	MPK Series	MPK Series	MPK Series
	Grade	Military	Military	Military	Military
<u>۾</u>	Number of Keys	82	90	121	121
KEYBOARD	Backlight Color	Red	White	NVIS Green	NVIS Green
Ä	Interface	USB	USB	USB	USB
	Connector	DE-9P	D38999/20FA35PA	DE-9P	DE-9P
<u> </u>	Туре	Trackball	-	Trackball	Trackball
POINTING DEVICE	Size (inches)	1-3/8"	_	2.0"	2.0"
NITN	Buttons	2	_	4	4
<u>S</u>	Sealed	Yes	Yes	Yes	Yes
MECHANICAL	Enclosure Color	Black Bezel	Black Bezel	Black Bezel	Black Bezel
MECHA	Dimensions with Bezel (H x W x D)	2.16" x 17.5" x 7.5"	1.67" x 16.69" x 6.87"	2.20" x 17.86" x 11.44"	2.20" x 17.86" x 10.49"
CERTS	Meets or Built to be in Compliance	MIL-STD-167-1 Compliant; MIL-STD-461 Compliant; MIL-HDBK-454 Compliant; Shock: 40 G for 12.5 ms	MIL-STD-167-1A, Type I (Vibration); MIL-STD-810G, 50G (Shock); NEMA 4 & IP65 (Sealing); MIL-STD-108E (Drip Proof); MIL-STD-810E (Fungus)	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI
SPECIAL	Notable Components and Features	United Kingdom Keyboard Layout; Disabled Middle Mouse Button	Separate Numeric Keypad; No Pointing Device	NVIS Class B Backlit; Keyboard Backlight Blackout Control	KB Brightness Control; Keyboard Backlight Blackout Control; NVIS Backlit

Panel mount 121-key keyboard includes full numeric keypad



### **DESKTOP I** (Inquire about alternate configurations)

	PROPERTIES	90-750-085	90-750-112	90-750-131-A
	Class	MDK Series	MDK Series	MDK Series
	Grade	Military	Military	Military
æ	Number of Keys	114	121	121
KEYBOARD	Backlight Color	-	Red	Red
Ä	Interface	USB	USB (x2)	USB
	Connector	USB Type A	DE-9P	D38999/20WC35PN
<u> </u>	Туре	Touch Pad	Trackball	Trackball
POINTING DEVICE	Size (inches)	N/A	1-3/8"	2.0"
NIEN	Buttons	2	3	4
<u>S</u>	Sealed	Yes	Yes	Yes
MECHANICAL	Enclosure Color	Black	Black	Black
MECHA	Dimensions (H x W x D)	1.51" x 16.92" x 8.56"	1.46" x 16.92" x 8.56"	1.77" x 18.75" x 13.00"
CERTS	Meets or Built to be in Compliance	MIL-STD-108 (Drip Proof); MIL-STD-810, Method 508 (Fungus); MIL-DTL-901E, Grade B, Class 1, Type B; MIL-STD-167-1A, Type 1 (Vibration)	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI
SPECIAL	Notable Components and Features	Numeric Keypad; Low Smoke Zero Halogen (LSZH) Cables	Keyboard Brightness Control; Shock Sensing; Keycap Clips; 10' DE-9S Dual USB Type A Cable	Smart Card (CAC) Reader; Internal USB Hub; Desktop Mounting Brackets; Extended Keyboard Drain



#### **DESKTOP II** (Inquire about alternate configurations)

	PROPERTIES	90-750-064	90-750-049-C	90-750-117
	Class	IDK Series	IDK Series	IDK Series
	Grade	Industrial	Industrial	Industrial
S S	Number of Keys	82	121	121
KEYBOARD	Backlight Color	_	_	_
KE	Interface	USB	PS/2	USB
	Connector	DE-9P	DE-9P	DE-9P
CE	Туре	Trackball	Trackball	Touch Pad
POINTING DEVICE	Size (inches)	1-3/8"	1-3/8″	_
NITN	Buttons	3	3	3
PO	Sealed	Yes	Yes	Yes
NICAL	Enclosure Color	Black	Black	Black
MECHANICAL	Dimensions (H x W x D)	N/A	N/A	1.152" x 16.92" x 8.56"
CERTS	Meets or Built to be in Compliance	-	_	MIL-STD-108 (Drip Proof); MIL-STD-810, Method 508 (Fungus); MIL-DTL-901E, Grade B, Class 1, Type B; MIL-STD-167-1A, Type 1 (Vibration)
SPECIAL	Notable Components and Features	Drip-proof from Front	_	Separate Numeric Keypad

Custom 118-key desktop keyboard includes two 1-3/8" trackballs



#### **SPECIALIZED**

or of Keys with Color ce	MSK Series  Military  82  Red  USB  DE-9P	MSK Series  Military  100  Green  USB  USB Type A	ISK Series Industrial 114  — PS/2
ht Color	82 Red USB DE-9P	100 Green USB	114
ht Color	Red USB DE-9P	Green	_
ce	USB DE-9P	USB	PS/2
	DE-9P		PS/2
ctor		USB Type A	
		**	Attached Cable
	Trackball	Trackball	N/A
ches)	1-3/8"	2.5"	N/A
S	3	4	N/A
	No	Yes	Yes
ure Color	Black	Dull Gull Gray	Stainless Steel
sions (H x W x D)	N/A	3.02" x 18.33" x 21.43"	N/A
or Built to be in ance	MIL-STD-461 Compliant; MIL-DTL-901 Compliant	MIL-STD-810 Vibration & Shock; MIL-STD-461 EMI/RFI	UL60950; FCC Part 15 Class B
e Components atures	Rack Mount Enclosure; Smart Card (CAC) Reader; Cable Management Guide	Lightweight Carbon Fiber Enclosure; 20-key Backlit Function Keypad; Force-operated Joystick; Capped Reset Switch; Keyboard Selector Knob; Auxiliary USB Port; Textured Writing Surface & Stylus Holder; REX Supported; U.S. Navy Aircraft Compatible	Stainless Steel NEMA 4/4X Desktop Enclosure; 24 Function Keys; 10-key Numeric Keypad
	or Built to be in ance	No  Black  N/A  N/A  Pr Built to be in ance  Components  A Components  Back Mount Enclosure;  Smart Card (CAC) Reader;  Cable Management Guide	No Yes  Ire Color  Black  Dull Gull Gray  N/A  3.02" x 18.33" x 21.43"  Dr Built to be in MIL-STD-461 Compliant; MIL-STD-810 Vibration & Shock; MIL-DTL-901 Compliant  Rack Mount Enclosure; Smart Card (CAC) Reader; Cable Management Guide  Capped Reset Switch; Keyboard Selector Knob; Auxiliary USB Port; Textured Writing Surface & Stylus Holder; REX Supported;



60 Prestige Park Road

East Hartford, Connecticut 06108



**E-mail** gdc\_info@generaldigital.com



#### General Digital is an SBA Small Business Concern.

Information contained in this document is proprietary to General Digital Corporation and is current as of publication date. This document may not be modified in any way without the express written consent of General Digital. Product processing does not necessarily include testing of all parameters. General Digital reserves the right to change the configuration and performance of the product and to discontinue product at any time.

© 2024 General Digital Corporation

1-3/8" trackball, built-in CAC Reader and Cable Management Guide

All product names are trademarks of their respective companies. 999-0903-063r3